NSN 3020-00-610-8043

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-610-8043

Body Style:
Webbed, solid
Pitch Diameter:
4.800 inches
Teeth Quantity:
38
Bore Style:
Partial both ends
Hardness Rating:
33.0 rockwell c and 38.0 rockwell c
Outside Diameter:
4.994 inches
Nominallength:
4.250 inches
Tooth Form:
Standard
Pressure Angle:
20.0 degrees
Distance Between Body Face And Protruding Hub End:
0.970 inches second end
Face Width:
Face Width: 1.130 inches
1.130 inches
1.130 inches Bore Diameter:
1.130 inches Bore Diameter: 0.880 inches both ends
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth:
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator:
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter:
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.420 inches first end
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.420 inches first end End Length:
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.420 inches first end End Length: 0.620 inches second end
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.420 inches first end End Length: 0.620 inches second end End Diameter:
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.420 inches first end End Length: 0.620 inches second end End Diameter: 1.248 inches second end
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.420 inches first end End Length: 0.620 inches second end End Diameter: 1.248 inches second end First Step Length:
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.420 inches first end End Length: 0.620 inches second end End Diameter: 1.248 inches second end First Step Length: 0.250 inches second end
1.130 inches Bore Diameter: 0.880 inches both ends Bore Depth: 3.010 inches both ends Hub Style Designator: Plain first end Hub Diameter: 1.420 inches first end End Length: 0.620 inches second end End Diameter: 1.248 inches second end First Step Length: 0.250 inches second end First Step Diameter:

Material Specification:
Astm a331 assn standard single material response

NSN 3020-00-610-8043

Spur Gear - Page 2 of 2



•	_			
Style	1)6	SIU	na	t∩r∙
Otylo		JIG	ııu	w.

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300