NSN 3020-00-611-7684

Sprocket Wheel - Page 1 of 2

Outside Diameter:



View Online at https://aerobasegroup.com/nsn/3020-00-611-7684

6.050 inches
Bolt Circle Diameter:
1.156 inches
Bore Diameter:
1.750 inches
Bore Length:
0.240 inches
Drilled Hole Diameter:
Between 0.310 inches and 0.350 inches
Pitch Diameter:
5.748 inches
Securing Hole Quantity:
3
Face Width:
0.750 inches
Design Form:
Webbed
Bore Type:
Straight
Metallic Hardness Rating And Location:
89.0 rockwell c body and 94.6 rockwell c body
Counterbore Feature:
Not included
Hole Location:
Thru body
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Included
Protruding Hub Characteristic:
Plain
Securing Location:
Both ends
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:

NSN 3020-00-611-7684 Sprocket Wheel - Page 2 of 2



Teeth Quantity Per Row:
38
Asa Standard Chain Number:
41
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 89.0 rockwell b and 94.6 rockwell b
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.500 inches
Hub End Outside Diameter And Location:
3.000 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.220 inches both ends
Material:
Iron, malleable
Material:
Iron malleable
Style Designator:
Webbed or spoked
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c