## NSN 3020-00-618-4255



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-618-4255 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 3.6660 inches **Teeth Quantity:** 22 **Bore Style:** W/ keyway both ends **Features Provided:** Alignment hole Hardness Rating: 59.0 rockwell c and 67.0 rockwell c **Mounting Hole Type And Quantity:** 1 counterbored axially through body, first end **Outside Diameter:** 3.859 inches Nominallength: 1.982 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.015 inches second end **Face Width:** 1.375 inches **Bore Diameter:** 2.061 inches both ends **Keyway Width:** 0.375 inches both ends **Distance From Bore Center To Keyway Bottom:** 1.250 inches both ends

**Counterbore Depth:** 0.128 inches second end **Counterbore Diameter:** 2.625 inches second end **Hub Style Designator:** Plain both ends **Hub Diameter:** 3.312 inches first end

## NSN 3020-00-618-4255

Spur Gear - Page 2 of 2

No Fiig: A27300



## Mounting Hole Diameter: 2.625 inches axially through hub, first end Material: Steel Material Specification: Qq-s-624 federal specification single material response Style Designator: Protruding hubs Shelf Life: N/a Unit Of Measure: - Demilitarization: