## NSN 3020-00-619-7355

Groove Pulley - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-619-7355

Spline Major Diameter:
Between 1.380 inches and 1.385 inches
Counterbore Diameter:
Between 1.380 inches and 1.385 inches
Counterbore Depth:
0.260 inches
Groove Depth:
0.717 inches
Groove Width:
0.840 inches
Outside Diameter:
6.188 inches
Overall Length:
2.391 inches
Spline Quantity:
20
Spline Minor Diameter:
Between 1.152 inches and 1.156 inches
V Groove Angle In Deg:
32.0
Pitch Diameter:
6.060 inches
Material And Location:
Iron, malleable, qq-i-666, grade a
Face Width:
2.109 inches
Design Form:
Webbed
Bore Type:
Involute spline or splined
Bearings:
Not included
Spline Pressure Angle In Deg:
20.0
Spline Length:
1.000 inches
Groove Quantity:
2
Counterbore Feature:
Included
Spline Pitch Diameter:

1.2500 inches

## **NSN 3020-00-619-7355** Groove Pulley - Page 2 of 2



Counterbore Location:
Aa end
Keying Facility:
Not included
Split Hub Feature:
Not included
Web/spoke Relationship To Face Centerline:
Offset
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Groove Shape:
V
Protruding Hub Characteristic:
Stepped
Hub End Outside Diameter And Location:
1.749 inches aa end and 1.751 inches aa end and 1.906 inches bb end
Distance From Outside Flange/rim To Hub End And Location:
0.849 inches bb end
First Step Face Largest Diameter And Location:
1.875 inches aa end
First Step Length And Location:
0.625 inches aa end
Style Designator:
Webbed or spoked
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
T353-a