

View Online at <https://aerobasegroup.com/nsn/3020-00-619-7419>

Groove Depth:

0.094 inches

Groove Width:

0.844 inches

Outside Diameter:

7.625 inches

Overall Length:

4.437 inches

Bolt Circle Diameter:

4.250 inches

Thread Size:

5/16-18

Bore Diameter:

Between 3.500 inches and 3.502 inches

Bore Length:

0.420 inches

V Groove Angle In Deg:

32.0

Pitch Diameter:

6.875 inches

Securing Hole Quantity:

6

Material And Location:

Iron, cast, qq-i-652, class 20

Face Width:

2.156 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

2

Counterbore Feature:

Not included

Hole Location:

On end of hub

Keying Facility:

Not included

Securing Method:

Secured to pulley shaft with hex cap nut

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Stepped

Securing Location:

Aa end

First Step Face Largest Diameter And Location:

5.812 inches both ends

First Step Length And Location:

0.2325 inches both ends

Hub End Outside Diameter And Location:

5.000 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

2.2281 inches both ends

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-a