NSN 3020-00-620-7196

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-620-7196

Darte Otalea
Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.3750 inches
Teeth Quantity:
66
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Mounting Hole Thread Size:
0.138 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
1.416 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.750 inches first end
Material:
Copper alloy 360
Material Specification:
Qq-b-626, alloy 360, 1/2h federal specification single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
-

Qq-p-416, type 2, class 1 federal specification single treatment response

NSN 3020-00-620-7196

Spur Gear - Page 2 of 2

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

