

View Online at <https://aerobasegroup.com/nsn/3020-00-620-9509>

**Body Style:**

Webbed, offset, solid

**Pitch Diameter:**

4.6660 inches

**Teeth Quantity:**

56

**Bore Style:**

Plain both ends

**Hardness Rating:**

23.0 rockwell c and 30.0 rockwell c teeth

**Outside Diameter:**

4.829 inches

**Nominallength:**

1.233 inches

**Tooth Form:**

Standard

**Pressure Angle:**

20.0000 degrees

**Distance Between Body Face And Protruding Hub End:**

0.025 inches second end

**Face Width:**

0.612 inches

**Bore Diameter:**

0.939 inches both ends

**Hub Style Designator:**

1 step first end

**End Length:**

0.365 inches first end

**End Diameter:**

1.411 inches second end

**First Step Length:**

0.219 inches first end

**First Step Diameter:**

2.750 inches first end

**First Groove Width:**

0.170 inches second end

**First Groove Diameter:**

1.180 inches second end

**Distance From End To First Groove:**

0.344 inches second end

**Special Features:**

16 clutch teeth, 25 degrees pressure angle, 1.333 in. Pitch diameter on second end of hub

**Material:**

Steel

**Material Specification:**

Mil-s-13048, fs-1335, fs-3135 or fs-8635 military specification single material response

**Surface Treatment:**

Cadmium

**Style Designator:**

Protruding hubs

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A27300

**Mil-std (military Standard):**

Mil-s-13048 spec.