## NSN 3020-00-628-0198

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-628-0198

## Body Style:

Plain, solid

**Spline Quantity:** 

14 both ends

#### **Pitch Diameter:**

1.4000 inches

## **Teeth Quantity:**

28

#### Bore Style:

Involute spline both ends

#### Spline Pitch Diameter:

0.4700 inches both ends

#### Hardness Rating:

90.0 rockwell superficial 15-n and 92.0 rockwell superficial 15-n

#### Outside Diameter:

1.500 inches

## Nominallength:

0.825 inches

## Tooth Form:

Standard

#### Pressure Angle:

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.175 inches first end

#### Face Width:

0.650 inches

#### Bore Diameter:

0.500 inches both ends

#### **Counterbore Depth:**

0.280 inches first end

#### Hub Style Designator:

Plain first end

#### Hub Diameter:

0.790 inches first end

#### Precision Classification:

Quality number 10 or quality number 11

#### **Special Features:**

Counterbore 1st end, 0.790 in. Diameter by 0.280 in. Depth

#### Material:

Steel comp e9310

#### **Material Specification:**

Ams 6260 assn standard single material response

# NSN 3020-00-628-0198

Spur Gear - Page 2 of 2

Surface Treatment:

Carbon

Style Designator:

Protruding hub

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A27300

