## NSN 3020-00-628-0240

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-628-0240

Body Style:
Webbed, solid
Attachment Method:
Clamp
Pitch Diameter:
1.2500 inches
Teeth Quantity:
120
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.271 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.240 inches first end
Face Width:
0.131 inches
Bore Diameter:
0.188 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.249 inches first end
Clamping Surface Length:
0.222 inches first end
Precision Classification:
Quality number 11
Material:
Steel comp 302 or steel comp 303 body
Material Specification:
Fed standard 66 federal standard all material responses hub
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072 military specification single treatment response

**Style Designator:** Protruding hub

## NSN 3020-00-628-0240

Spur Gear - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300

Mil-std (military Standard):

Mil-f-14072 spec.

Shelf Life: