## NSN 3020-00-630-4573

Bevel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-630-4573 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 2.0000 inches **Teeth Quantity:** 64 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Hardness Rating:** 75.0 rockwell b **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 2.0086 inches Nominallength: 0.615 inches **Teeth Type:** Straight **Pressure Angle:** 20.0000 degrees Pitch Angle: 75.9666 degrees Distance Between Body Face And Protruding Hub End: 0.330 inches second end Distance Between Body Face And Recessed Hub End: 0.0370 inches first end **Face Width:** 0.309 inches **Bore Diameter:** 0.406 inches both ends **Hub Style Designator:** Plain first end

**Hub Diameter:** 

0.750 inches first end

## **NSN 3020-00-630-4573** Bevel Gear - Page 2 of 2



End Length:
0.125 inches second end
End Diameter:
0.495 inches second end
First Step Length:
0.123 inches second end
First Step Diameter:
0.750 inches second end
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Side face, front hub recessed, back hub protruding
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300
Mil-std (military Standard):
Mil-a-8625 spec.