## NSN 3020-00-630-4641



Bevel Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-630-4641 **Body Style:** Webbed, offset, solid Pitch Diameter: 1.7500 inches **Teeth Quantity:** 84 **Bore Style:** W/ keyway both ends **Hardness Rating:** 75.0 rockwell b teeth **Outside Diameter:** 1.755 inches Nominallength: 0.459 inches **Teeth Type:** Straight **Pressure Angle:** 20.0000 degrees Pitch Angle: 75.9667 degrees Distance Between Body Face And Protruding Hub End: 0.050 inches first end **Face Width:** 0.208 inches **Bore Diameter:** 0.282 inches both ends **Keyway Width:** 0.094 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.192 inches both ends **Hub Style Designator:** Plain second end

**Hub Diameter:** 0.620 inches second end **End Length:** 0.070 inches first end **Precision Classification:** 

Quality number 10

**End Diameter:** 

0.400 inches first end

First Step Length:

0.650 inches first end

## **NSN 3020-00-630-4641**Bevel Gear - Page 2 of 2



First Step Diameter:
0.620 inches first end
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625 military specification single treatment response
Style Designator:
Side face, protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300
Mil-std (military Standard):
Mil-a-8625 spec.