NSN 3020-00-630-4664

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-630-4664

Body Style:
Plain, solid
Pitch Diameter:
2.3333 inches
Teeth Quantity:
112
Bore Style:
W/ keyway both ends
Outside Diameter:
0.880 inches
Nominallength:
0.441 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.290 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.281 inches both ends
Keyway Width:
0.093 inches both ends
Distance From Bore Center To Keyway Bottom:
0.193 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.810 inches first end
End Diameter:
0.440 inches first end
First Step Length:
0.230 inches first end
First Step Diameter:
0.620 inches first end
Material:
Aluminum alloy
Surface Treatment:
Anodize

Surface Treatment Specification:

Mil-a-8625, type 1 military specification single treatment response

NSN 3020-00-630-4664

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
No Fiig:

Mil-std (military Standard):

Mil-a-8625 spec.