NSN 3020-00-630-6379

Spur Gear - Page 1 of 2

Body Style: Plain, solid



View Online at https://aerobasegroup.com/nsn/3020-00-630-6379

Attachment Method:
Mounting hole
Pitch Diameter:
2.3750 inches
Teeth Quantity:
114
Bore Style:
W/counterbore counter bore, second end
Mounting Hole Type And Quantity:
3 counterbored axially through hub, first end
Outside Diameter:
2.415 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.782 inches first end
Face Width:
0.156 inches
Bore Diameter:
0.750 inches counter bore, second end
Counterbore Depth:
0.812 inches counter bore, second end
Counterbore Diameter:
1.312 inches counter bore, second end
Hub Style Designator:
1 step first end
End Length:
0.654 inches first end
End Diameter:
2.057 inches first end
First Step Length:
0.127 inches first end
First Step Diameter:
2.187 inches first end
Mounting Hole Diameter:
0.200 inches axially through hub, first end
Material:
Aluminum alloy 6061

NSN 3020-00-630-6379

Spur Gear - Page 2 of 2

Fiig: A27300



Material Specification:
Qq-a-225/8, t6 federal specification single material response
Surface Treatment:
Anodize
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No