NSN 3020-00-640-4470

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-640-4470

Body Style:

Webbed, offset, solid

Attachment Method:

Mounting hole

Pitch Diameter:

3.5000 inches

Teeth Quantity:

49

Bore Style:

W/ keyway both ends

Backlash Designation:

Grade a

Hardness Rating:

60.0 rockwell c teeth

Mounting Hole Type And Quantity:

4 plain axially through body, first end

Outside Diameter:

3.613 inches

Nominallength:

0.443 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.010 inches first end

Body Recess Depth:

0.165 inches second end

Face Width:

0.438 inches

Bore Diameter:

0.990 inches both ends

Keyway Width:

0.194 inches both ends

Distance From Bore Center To Keyway Bottom:

0.094 inches both ends

Hub Style Designator:

Plain first end

Hub Diameter:

1.375 inches first end

Mounting Hole Diameter:

0.250 inches axially through body, first end

NSN 3020-00-640-4470

Spur Gear - Page 2 of 2



Bolt Hole Circle Diameter: 2.240 inches axially through body, first end Material: Steel comp e9310 **Material Specification:** Ams 6260 assn standard single material response Style Designator: Protruding hub, recessed body Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A27300