## NSN 3020-00-640-4675



Groove Pulley - Page 1 of 3 View Online at https://aerobasegroup.com/nsn/3020-00-640-4675 **Groove Depth:** 0.500 inches **Groove Width:** 0.500 inches **Outside Diameter:** 3.750 inches **Overall Length:** 1.625 inches **Keyway Width:** 0.188 inches **Thread Size:** 5/16 in. -18 **Bore Diameter:** 0.625 inches **Bore Length:** 1.625 inches **Distance From Center Of Bore To Bottom Of Keyway:** 0.438 inches V Groove Angle In Deg: 20.0 Pitch Diameter: 3.500 inches **Securing Hole Quantity: Furnished Items And Quantity:** N/a **Material And Location:** Steel **Face Width:** 0.750 inches **Design Form:** Plain **Bore Type:** Straight Bearings: Not included **Groove Quantity:** 1 **Counterbore Feature:** Not included

**Hole Location:** 

One hole on top of keyway, one hole 90 degrees from keyway

## NSN 3020-00-640-4675

Groove Pulley - Page 2 of 3



Voying Essility
Keying Facility:
Included
Keying Facility Type:
Keyway
Securing Method:
Threaded hole
Split Hub Feature:
Not included
Web/spoke Relationship To Face Centerline:
Not offset
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Groove Shape:
V
Standard V-belt Section Designation For Which Designed:
A
Bore Feature:
Included
Protruding Hub Characteristic:
Grooved
Securing Location:
Aa end
Hub End Outside Diameter And Location:
1.250 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.875 inches both ends
First End Groove Diameter And Location:
1.188 inches both ends
First End Groove Width And Location:
0.063 inches both ends
First End Length From Groove To End And Location:
0.219 inches both ends
Quantity:
1
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

## NSN 3020-00-640-4675

Groove Pulley - Page 3 of 3



Fiig:

T353-a