NSN 3020-00-649-6949

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-649-6949

Body Style:
Plain, with lightening holes
Attachment Method:
Mounting hole
Pitch Diameter:
3.4170 inches
Teeth Quantity:
164
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 plain transversely through hub, first end and 1 threaded transversely through hub, first end
Outside Diameter:
3.457 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.625 inches first end
Mounting Hole Diameter:
0.040 inches transversely through hub, first end
Special Features:
Mtg holes 90 degrees apart
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t6 federal specification single material response

Anodize hub

Surface Treatment:

NSN 3020-00-649-6949

Spur Gear - Page 2 of 2



Surface Treatment Speci

Mil-a-8625, type2 military specification single treatment response hub

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.