NSN 3020-00-649-6951

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-649-6951

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 5.9375 inches **Teeth Quantity:** 285 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unc axially through body, first end **Mounting Hole Thread Size:** 0.138 inches axially through body, first end Mounting Hole Type And Quantity: 6 threaded axially through body, first end **Outside Diameter:** 5.976 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.500 inches first end Face Width: 0.250 inches **Bore Diameter:** 5.976 inches both ends Hub Style Designator: Plain first end **Hub Diameter:** 5.750 inches first end Material: Aluminum alloy 6061 **Material Specification:** Qq-a-250/11, t6 federal specification single material response Surface Treatment: Anodize **Surface Treatment Specification:** Mil-a-8625, type 2, class 1 military specification single treatment response Style Designator:

Protruding hub

NSN 3020-00-649-6951

Spur Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.

