NSN 3020-00-650-3140

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-650-3140

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.0418 inches
Teeth Quantity:
14
Bore Style:
W/ keyway both ends
Hardness Rating:
47.0 rockwell c and 55.0 rockwell c
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end
Outside Diameter:
1.1670 inches
Teeth Type:
Single helix
Tooth Form:
Standard
Tooth Direction:
Left
Pressure Angle:
Pressure Angle: 14.5000 degrees
14.5000 degrees
14.5000 degrees Helix Angle:
14.5000 degrees Helix Angle: 32.8745 degrees
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End:
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width:
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter:
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter: 0.552 inches both ends
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter: 0.552 inches both ends Keyway Width:
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter: 0.552 inches both ends Keyway Width: 0.096 inches both ends
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter: 0.552 inches both ends Keyway Width: 0.096 inches both ends Distance From Bore Center To Keyway Bottom:
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter: 0.552 inches both ends Keyway Width: 0.096 inches both ends Distance From Bore Center To Keyway Bottom: 0.329 inches both ends
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter: 0.552 inches both ends Keyway Width: 0.096 inches both ends Distance From Bore Center To Keyway Bottom: 0.329 inches both ends Hub Style Designator:
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter: 0.552 inches both ends Keyway Width: 0.096 inches both ends Distance From Bore Center To Keyway Bottom: 0.329 inches both ends Hub Style Designator: Plain first end
14.5000 degrees Helix Angle: 32.8745 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end Face Width: 0.625 inches Bore Diameter: 0.552 inches both ends Keyway Width: 0.096 inches both ends Distance From Bore Center To Keyway Bottom: 0.329 inches both ends Hub Style Designator: Plain first end Hub Diameter:

NSN 3020-00-650-3140

Helical Gear - Page 2 of 2



Special Fe	eatures:
------------	----------

Mtg holes 180 degs apart

Material:

Steel

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300