

View Online at <https://aerobasegroup.com/nsn/3020-00-651-8667>

**Counterbore Diameter:**

2.000 inches

**Counterbore Depth:**

0.188 inches

**Outside Diameter:**

Between 3.915 inches and 3.920 inches

**Overall Length:**

2.438 inches

**Bore Diameter:**

Between 1.5000 inches and 1.5020 inches

**Bore Length:**

2.438 inches

**Pitch Diameter:**

3.599 inches

**Face Width:**

0.343 inches

**Design Form:**

Plain

**Bore Type:**

Straight

**Counterbore Feature:**

Included

**Counterbore Location:**

Bb end

**Keying Facility:**

Not included

**Lightening Hole:**

Not included

**Protruding Hub Characteristic:**

Plain or stepped

**Groove/step Location:**

Aa end

**Belt/chain/film Size For Which Designed:**

Roller chain

**Roller Chain Pitch Type For Which Designed:**

Single pitch

**Teeth Row Quantity:**

1

**Teeth Quantity Per Row:**

18

**Asa Standard Chain Number:**

50

**Hardness Rating Test Method:**

Not rated

**Bore Bearing:**

Not included

**Hub External Keyway:**

Not included

**Tooth Pitch:**

0.625 inches

**Hub End Outside Diameter And Location:**

2.375 inches bb end

**Distance From Outside Flange/rim To Hub End And Location:**

1.016 inches bb end

**First Step Face Largest Diameter And Location:**

2.375 inches aa end

**First Step Length And Location:**

0.500 inches aa end

**Second Step Length And Location:**

0.5785 inches aa end

**Hub End Outside Diameter And Location:**

1.995 inches aa end and 2.000 inches aa end

**Special Features:**

Second hub end tapered, 0.376 in. Lg of taper, 2.250 in. Dia. Oftaper at small end

**Material:**

Steel, qq-s-681, class 120-95

**Material:**

Steel comp 120-95

**Material Specification:**

Qq-s-681, class 120-95 federal specification single material response

**Surface Treatment:**

Phosphate

**Style Designator:**

Plain

**Surface Treatment:**

Phosphate

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-c