## NSN 3020-00-670-2469



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-670-2469 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.8750 inches **Teeth Quantity:** 120 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** 

Unc axially through hub, first end

**Mounting Hole Thread Size:** 

0.112 inches axially through hub, first end

**Mounting Hole Type And Quantity:** 

3 threaded axially through hub, first end

**Outside Diameter:** 

1.906 inches

**Pressure Angle:** 

14.5000 degrees

**Distance Between Body Face And Protruding Hub End:** 

0.391 inches first end

**Face Width:** 

0.125 inches

**Bore Diameter:** 

0.250 inches both ends

**Hub Style Designator:** 

Pinned second end

**Hub Diameter:** 

0.500 inches second end

**End Length:** 

0.098 inches first end

**End Diameter:** 

0.375 inches first end

First Step Length:

0.293 inches first end

First Step Diameter:

1.000 inches first end

Material:

Copper alloy

**Material Specification:** 

Qq-b-621 federal specification single material response

## **NSN 3020-00-670-2469** Spur Gear - Page 2 of 2



Style Designator:
Protruding hubs
Furnished Items And Quantity:
3 shoulder pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A27300