NSN 3020-00-671-1555

Spur Gear - Page 1 of 2

1.203 inches first end



View Online at https://aerobasegroup.com/nsn/3020-00-671-1555

Body Style:
Webbed, offset, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.6250 inches
Teeth Quantity:
52
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Hardness Rating:
32.0 rockwell c and 35.0 rockwell c
Mounting Hole Thread Size:
0.086 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 plain transversely through hub, first end and 1 threaded transversely through hub, first end
Outside Diameter:
1.688 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.438 inches first end
Body Recess Depth:
0.250 inches second end
Face Width:
0.312 inches
Bore Diameter:
0.313 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.375 inches first end
End Diameter:
0.563 inches first end
First Step Length:
0.188 inches first end
First Step Diameter:

NSN 3020-00-671-1555

Spur Gear - Page 2 of 2

A27300

Mil-s-6758 spec.

Mil-std (military Standard):



Mounting Hole Diameter: 0.078 inches transversely through hub, first end Material: Steel comp 4130 **Material Specification:** Mil-s-6758, comp 4130, c4 military specification single material response **Surface Treatment:** Oxide Style Designator: Protruding hub, recessed body Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig: