NSN 3020-00-678-7389

Spur Gear - Page 1 of 2

Body Style:



View Online at https://aerobasegroup.com/nsn/3020-00-678-7389

Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
5.0000 inches
Teeth Quantity:
40
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thread Size:
0.250 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
5.250 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
2.438 inches second end
Body Recess Depth:
1.813 inches first end
Face Width:
0.750 inches
Bore Diameter:
0.624 inches both ends
Hub Style Designator:
1 step first end
End Length:
1.000 inches first end
End Diameter:
2.000 inches first end
First Step Length:
0.813 inches first and

Special Features:

First Step Diameter: 2.500 inches first end

Sleeve on hub end secured w/ two setscrews; 3 in. Diameter flange on 1st step hub

NSN 3020-00-678-7389

Spur Gear - Page 2 of 2

Mil-std (military Standard):

Mil-b-16261 spec.



Material:
Copper alloy 910
Material Specification:
Mil-b-16261, grade 3-canceled military specification single material response
Style Designator:
Cone shape body, protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300