NSN 3020-00-682-7946

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-682-7946 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6660 inches **Teeth Quantity:** 64 **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Hardness Rating:** 75.0 rockwell b and 83.0 rockwell b **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.688 inches Nominallength: 0.281 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.188 inches first end **Face Width:** 0.093 inches **Bore Diameter:** 0.125 inches both ends **Hub Diameter:** 0.312 inches first end Material: Steel comp 303 **Material Specification:** Mil-s-7720, comp 303s military specification single material response **Surface Treatment: Passivate Style Designator:** Protruding hub

Shelf Life:

N/a

NSN 3020-00-682-7946

Spur Gear - Page 2 of 2



	In	i+	∩f	RA.	~~	cii	re:
u	,,,	Iι	vı	IVI	ca.	่อน	ıe.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7720 spec.