NSN 3020-00-684-1245

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-684-1245

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.7500 inches
Teeth Quantity:
36
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Mounting Hole Type And Quantity:
2 plain axially through body, first end
Outside Diameter:
0.792 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.194 inches first end
Face Width:
0.156 inches
Bore Diameter:
0.241 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.625 inches first end
Mounting Hole Diameter:
0.112 inches axially through body, first end
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t6 federal specification single material response
Surface Treatment:
Chromate
Surface Treatment Specification:
Mil-c-5541 military specification single treatment response
Style Designator:
Protruding hub

NSN 3020-00-684-1245

Spur Gear - Page 2 of 2



Shelf	Life:
N/a	

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-c-5541 spec.