## NSN 3020-00-684-1250

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-684-1250

Body Style:			
Plain, solid			
Attachment Method:			
Mounting hole			
Pitch Diameter:			
1.8750 inches			
Teeth Quantity:			
180			
Bore Style:			
Plain both ends			
Mounting Hole Type And Quantity:			
2 plain axially through body, first end			
Outside Diameter:			
1.896 inches			
Tooth Form:			
Standard			
Pressure Angle:			
20.0000 degrees			
Distance Between Body Face And Protruding Hub End:			
0.188 inches first end			
Face Width:			
0.125 inches			
Bore Diameter:			
0.187 inches both ends			
Hub Style Designator:			
1 step first end			
End Length:			
0.063 inches first end			
End Diameter:			
0.240 inches first end			
First Step Length:			
0.125 inches first end			
First Step Diameter:			
0.375 inches first end			
Mounting Hole Diameter:			
0.112 inches axially through body, first end			
Material:			
Aluminum alloy 6061			
Material Specification:			
Qq-a-225/8, t6 federal specification single material response			
Surface Treatment:			

Oxide film body

## NSN 3020-00-684-1250

Spur Gear - Page 2 of 2



Surface	<b>Treatment</b>	Specification:
---------	------------------	----------------

Mil-c-5541 military specification single treatment response body

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-c-5541 spec.