NSN 3020-00-684-1257

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-684-1257 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.8750 inches **Teeth Quantity:** 180 **Bore Style:** Plain both ends **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end **Outside Diameter:** 0.189 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.500 inches first end **Mounting Hole Diameter:** 0.096 inches transversely through hub, first end Material: Aluminum alloy 6061 **Material Specification:** Qq-a-225/8, t6 federal specification single material response **Surface Treatment:** Chromate **Surface Treatment Specification:** Mil-c-5541 military specification single treatment response **Style Designator:** Protruding hub

Shelf Life:

N/a

NSN 3020-00-684-1257

Spur Gear - Page 2 of 2



| П | Init | 7 1+ | Measure: |
|---|-------|------|-----------|
| u | ,,,,, | v | wicasuic. |

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-c-5541 spec.