## NSN 3020-00-684-2992

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-684-2992

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.5208 inches
Teeth Quantity:
25
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Mounting Hole Type And Quantity:
2 plain axially through flange
Outside Diameter:
0.562 inches
Tooth Form:
Standard
Flange Diameter:
0.719 inches
Pressure Angle:
20.0000 degrees
Flange Thickness:
0.093 inches
Face Width:
0.156 inches
Bore Diameter:
0.241 inches both ends
Distance Between Outer Body Face And Inner Flange Face:
0.257 inches
Hub Diameter:
0.438 inches between body and flange
Precision Classification:
Quality number 10
Mounting Hole Diameter:
0.112 inches axially through flange
Material:
Steel comp 416
Material Specification:
Qq-s-764, type 416 cond a federal specification single material response
Style Designator:
Flanged end

## NSN 3020-00-684-2992

Spur Gear - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300