NSN 3020-00-684-4918

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-684-4918 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.3328 inches and 0.3338 inches **Teeth Quantity:** 32 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, second end **Mounting Hole Thread Size:** 0.084 inches transversely through hub, second end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, second end **Outside Diameter:** 0.358 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.187 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** Pinned second end **Hub Diameter:** 0.310 inches first end **Precision Classification:** Quality number 5 or quality number 6 Material: **Material Specification:** Qq-s-763, class416 federal specification single material response

Steel comp 416

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-171 military standard single treatment response

NSN 3020-00-684-4918

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300

Mil-std (military Standard):

Mil-std-171 spec.