NSN 3020-00-684-5782

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-684-5782

Body Style:				
Plain, solid				
Attachment Method:				
Mounting hole				
Pitch Diameter:				
Between 1.9999 inches and 2.0000 inches				
Teeth Quantity:				
32				
Bore Style:				
Plain both ends				
Mounting Hole Thread Series Designator:				
Unc transversely through hub, first end				
Mounting Hole Thready Qty Per Inch (tpi):				
40 transversely through hub, first end				
Mounting Hole Thread Size:				
0.112 inches transversely through hub, first end				
Mounting Hole Type And Quantity:				
2 threaded transversely through hub, first end				
Outside Diameter:				
2.061 inches				
Nominallength:				
0.375 inches				
Tooth Form:				
Standard				
Pressure Angle:				
20.0000 degrees				
Distance Between Body Face And Protruding Hub End:				
0.188 inches first end				
Face Width:				
0.187 inches				
Bore Diameter:				
0.249 inches both ends				
Hub Style Designator:				
Pinned first end				
Hub Diameter:				
0.500 inches first end				
Material:				
Copper alloy 510 or copper alloy 524				
Material Specification:				
Qq-b-746 federal specification single material response				
Surface Treatment:				

Cadmium

NSN 3020-00-684-5782

Spur Gear - Page 2 of 2



•	_		
Style	De:	sıar	nator:
,		9.9.	

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300