## NSN 3020-00-689-6822

Spur Gear - Page 1 of 2

**Body Style:** Plain, solid



View Online at https://aerobasegroup.com/nsn/3020-00-689-6822

Attachment Method:			
Mounting hole			
Pitch Diameter:			
1.7500 inches			
Teeth Quantity:			
84			
Bore Style:			
Plain both ends			
Mounting Hole Thread Series Designator:			
Unc transversely through hub, first end			
Mounting Hole Thready Qty Per Inch (tpi):			
32 transversely through hub, first end			
Mounting Hole Thread Size:			
0.138 inches transversely through hub, first end			
Mounting Hole Type And Quantity:			
1 threaded transversely through hub, first end			
Outside Diameter:			
1.791 inches			
Nominallength:			
0.375 inches			
Tooth Form:			
Standard			
Pressure Angle:			
20.0000 degrees			
Distance Between Body Face And Protruding Hub End:			
0.250 inches first end			
Face Width:			
0.125 inches			
Bore Diameter:			
0.250 inches both ends			
Hub Style Designator:			
Pinned first end			
Hub Diameter:			
0.500 inches first end			
Precision Classification:			
Quality number 10 or quality number 11			
Material:			
Copper alloy 360			
Material Specification:			
Qq-b-626, alloy 360, 1/2h federal specification single material response			

## NSN 3020-00-689-6822

Spur Gear - Page 2 of 2



•	_		
Style	1)69	เตทร	ntor.
01,10	-	9	

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300