NSN 3020-00-690-2896

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-690-2896

Body Style:
Webbed, offset, with lightening holes
Spline Quantity:
37 both ends
Attachment Method:
Mounting hole
Pitch Diameter:
22.6667 inches
Teeth Quantity:
68
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
3.7000 inches both ends
Hardness Rating:
45.0 rockwell c and 55.0 rockwell c
Mounting Hole Type And Quantity:
6 plain transversely through hub, second end
Outside Diameter:
23.152 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.125 inches second end
Face Width:
3.500 inches
Bore Diameter:
3.800 inches both ends
Counterbore Depth:
3.125 inches second end
Counterbore Diameter:
3.937 inches second end
Hub Style Designator:
Plain both ends
Hub Diameter:
5.000 inches second end
Mounting Hole Diameter:
0.906 inches axially through hub, first end
Bolt Hole Circle Diameter:
8.375 inches axially through hub, first end

NSN 3020-00-690-2896

Spur Gear - Page 2 of 2

Fiig: A27300



Material:
Steel
Material Specification:
Qq-s-681 federal specification single material response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli