NSN 3020-00-691-4396

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-691-4396

Body Style:
Plain, with lightening holes
Attachment Method:
Mounting hole
Pitch Diameter:
Between 9.9990 inches and 10.0000 inches
Teeth Quantity:
480
Bore Style:
W/counterbore both ends
Backlash Designation:
Grade b
Mounting Hole Thread Series Designator:
Unc axially through body, first end
Mounting Hole Thread Size:
0.250 inches axially through body, first end
Mounting Hole Type And Quantity:
6 threaded axially through body, first end
Outside Diameter:
10.041 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Face Width:
0.312 inches
Bore Diameter:
4.500 inches both ends
Counterbore Depth:
0.178 inches first end
Counterbore Diameter:
4.906 inches first end
Precision Classification:
Quality number 10
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/4, t3 federal specification single material response
Surface Treatment:
Anodize

Surface Treatment Specification:

Mil-a-8625, type 1, class 1 military specification single treatment response

NSN 3020-00-691-4396

Spur Gear - Page 2 of 2



Style Designator:
Hubless
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Demilitarization: No

Mil-std (military Standard):

Mil-a-8625 spec.