## NSN 3020-00-692-2909

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-692-2909 **Body Style:** Plain, solid Pitch Diameter: 1.0417 inches **Teeth Quantity:** 75 **Bore Style:** Plain both ends **Outside Diameter:** 1.073 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.500 inches first end **Precision Classification:** Quality number 12 Material: Copper alloy 642 or aluminum alloy **Material Specification:** Qq-b-663, 1-canc federal specification 1st material response or qq-b-663, comp 2-canc federal specification 2nd material response **Surface Treatment:** Oxide **Surface Treatment Specification:** Mil-f-495 military specification single treatment response **Style Designator:** Protruding hub Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 3020-00-692-2909

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-f-495 spec.