## NSN 3020-00-696-6216

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-696-6216 **Body Style:** Webbed, offset, solid Pitch Diameter: 3.0460 inches **Teeth Quantity:** 98 **Bore Style:** W/ keyway both ends **Hardness Rating:** 90.0 rockwell superficial 15-n **Outside Diameter:** 3.113 inches Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.125 inches first end Face Width: 0.250 inches **Bore Diameter:** 1.125 inches both ends **Keyway Width:** 0.094 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.602 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.375 inches second end Material: Steel comp 4620 **Material Specification:** Mil-s-7493, comp 4620 military specification single material response **Surface Treatment:** Oxide **Style Designator:** One protruding hub, one flush hub

Shelf Life: N/a

## NSN 3020-00-696-6216

Spur Gear - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7493 spec.