NSN 3020-00-698-6076

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-698-6076

Body Style:

Plain, solid

Pitch Diameter:

0.5000 inches

Teeth Quantity:

12

Hardness Rating:

50.0 rockwell c and 55.0 rockwell c

Outside Diameter:

0.607 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.781 inches first end

Face Width:

0.500 inches

Hub Style Designator:

3 steps second end

End Length:

0.250 inches second end

End Diameter:

0.315 inches second end

First Step Length:

0.553 inches first end

First Step Diameter:

0.379 inches second end

Second Step Length:

0.063 inches second end

Second Step Diameter:

0.405 inches second end

Third Step Length:

0.313 inches second end

Third Step Diameter:

0.407 inches second end

Material:

Steel

Material Specification:

Qq-s-624-canc federal specification single material response

Surface Treatment:

Passivate

NSN 3020-00-698-6076

Spur Gear - Page 2 of 2



Surface Treatment Specification:

Mil-f-14072 military specification single treatment response

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.