NSN 3020-00-700-2284



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-700-2284 **Body Style:** Webbed, with lightening holes **Spline Quantity:** 29 both ends Pitch Diameter: 1.7000 inches **Teeth Quantity:** 34 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 0.7325 inches both ends and 0.7340 inches both ends **Hardness Rating:** 90.0 rockwell superficial 15-n and 92.0 rockwell superficial 15-n teeth **Outside Diameter:** 1.798 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.225 inches both ends **Face Width:** 0.312 inches **Bore Diameter:** 0.763 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 0.960 inches both ends **Precision Classification:** Quality number 13 **Special Features:** Counterbore on 1st end w/0.7803 in. Dia, 0.1200 in. Depth Material: Steel **Material Specification:** Ams 6250 assn standard single material response **Style Designator:**

Shelf Life: N/a

Protruding hubs

NSN 3020-00-700-2284

Spur Gear - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300