NSN 3020-00-700-2285

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-700-2285

Body Style:
Webbed, with lightening holes
Spline Quantity:
11 both ends
Pitch Diameter:
4.8500 inches
Teeth Quantity:
97
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
0.4803 inches both ends
Hardness Rating:
34.0 rockwell c and 38.0 rockwell c teeth
Outside Diameter:
4.948 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.744 inches first end
Face Width:
0.253 inches
Bore Diameter:
0.538 inches both ends
Hub Style Designator:
1 step both ends
End Length:
0.550 inches first end
Precision Classification:
Quality number 11
End Diameter:
0.669 inches second end
First Step Length:
0.303 inches second end
First Step Diameter:
0.780 inches second end
Special Features:
Countebore on 2nd end w/ 0.550 in. Dia; 1.050 in. Depth
Material:

Steel comp 4340

NSN 3020-00-700-2285

Spur Gear - Page 2 of 2



wateriai Specification	al Specificati	ecificatior	Sp	ial	later	۷
------------------------	----------------	-------------	----	-----	-------	---

Ams 6415 assn standard 1s	st material response	or 66 federal standard 2r	nd material response	or aisi/sae 4340 assn	standard 2nd material
response					

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300