## NSN 3020-00-702-2963

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-702-2963

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
7.0000 inches
Teeth Quantity:
336
Bore Style:
W/counterbore both ends
Mounting Hole Type And Quantity:
4 plain axially through body, first end
Outside Diameter:
7.042 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.096 inches both ends
Face Width:
0.188 inches
Bore Diameter:
1.850 inches both ends
Counterbore Depth:
0.096 inches first end
Counterbore Diameter:
2.656 inches first end
Hub Style Designator:
Plain both ends
Hub Diameter:
4.623 inches first end
Mounting Hole Diameter:
0.170 inches axially through body, first end
Special Features:
Mtg holes 90 degs apart
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/4, t3 federal specification single material response
Surface Treatment:

Anodize

## NSN 3020-00-702-2963

Spur Gear - Page 2 of 2



•	_			
Style	1)6	SIU	na	t∩r∙
Otylo		JIG	ııu	w.

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300