NSN 3020-00-706-3034

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-706-3034

view Online at https://defobasegroup.com/hsh/3020-00-700-3004
Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.5333 inches
Teeth Quantity:
16
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
0.600 inches
Nominallength:
0.422 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.297 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.188 inches both ends
Hub Diameter:
0.438 inches first end
Material:
Copper alloy 360
Material Specification:
Qq-b-626, alloy 360, 1/2h federal specification single material response
Surface Treatment:
Chromium
Surface Treatment Specification:
Mil-f-14072 military specification single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a

NSN 3020-00-706-3034

Spur Gear - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.

