## NSN 3020-00-708-3658

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-708-3658

Body Style:
Plain, solid
Pitch Diameter:
0.7708 inches
Teeth Quantity:
37
Bore Style:
W/ keyway both ends
Hardness Rating:
40.0 rockwell c and 44.0 rockwell c
Outside Diameter:
0.797 inches
Nominallength:
0.261 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.131 inches first end
Face Width:
0.130 inches
Bore Diameter:
0.797 inches both ends
Keyway Width:
0.064 inches both ends
Distance From Bore Center To Keyway Bottom:
0.064 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.380 inches first end
Material:
Steel comp e4340
Material Specification:
Mil-s-5000 military specification single material response
Surface Treatment:
Oxide
Surface Treatment Specification:
Mil-c-13924, class 2 military specification single treatment response
Style Designator:
Protruding hub

## NSN 3020-00-708-3658

Spur Gear - Page 2 of 2



N/a	
Unit Of	Measure:

Shelf Life:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-5000 spec.