## NSN 3020-00-708-3658

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-708-3658

Body Style:

Plain, solid

**Pitch Diameter:** 

0.7708 inches

## Teeth Quantity:

37

#### Bore Style:

W/ keyway both ends

#### Hardness Rating:

40.0 rockwell c and 44.0 rockwell c

#### **Outside Diameter:**

0.797 inches

#### Nominallength:

0.261 inches

#### **Tooth Form:**

Standard

## Pressure Angle:

20.0000 degrees

### Distance Between Body Face And Protruding Hub End:

0.131 inches first end

## Face Width:

0.130 inches

## Bore Diameter:

0.797 inches both ends

#### Keyway Width:

0.064 inches both ends

#### Distance From Bore Center To Keyway Bottom:

0.064 inches both ends

#### Hub Style Designator:

Plain first end

#### Hub Diameter:

0.380 inches first end

#### Material:

Steel comp e4340

#### **Material Specification:**

Mil-s-5000 military specification single material response

### Surface Treatment:

Oxide

#### Surface Treatment Specification:

Mil-c-13924, class 2 military specification single treatment response

#### Style Designator:

Protruding hub

# NSN 3020-00-708-3658

Spur Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

## Mil-std (military Standard):

Mil-s-5000 spec.

