NSN 3020-00-720-3530

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-720-3530

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
4.0000 inches
Teeth Quantity:
192
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc axially through hub, first end
Mounting Hole Thread Size:
0.1640 inches axially through hub, first end
Mounting Hole Type And Quantity:
1 plain axially through hub, first end and 1 threaded axially through hub, first end
Outside Diameter:
4.0396 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.170 inches first end
Face Width:
0.343 inches
Bore Diameter:
1.8504 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
2.625 inches first end
Mounting Hole Diameter:
0.1760 inches axially through hub, first end
Bolt Hole Circle Diameter:
2.2810 inches axially through hub, first end and 2.3750 inches axially through hub, first end
Special Features:
Mounting holes 90 degrees apart
Material:
Steel comp 416se

Material Specification:

Qq-s-764, type 416se, cond a federal specification single material response

NSN 3020-00-720-3530

Spur Gear - Page 2 of 2



_				_			
	11	20	Δ.	I rc	1 0t	mc	nt:
31	41	ıaı		115	za L	1116	71 IL.

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300