## NSN 3020-00-722-4119



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-722-4119 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.6718 inches **Teeth Quantity:** 107 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.734 inches Nominallength: 0.375 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.188 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 0.188 inches first end **End Diameter:** 0.500 inches first end First Step Length:

0.063 inches first endFirst Step Diameter:0.880 inches first end

## NSN 3020-00-722-4119

Spur Gear - Page 2 of 2

**Fiig:** A27300



Material:
Steel comp 303 hub
Material Specification:
$\ensuremath{Qq}\text{-s-763},$ class 303, cond a federal specification single material response hub
Surface Treatment:
Passivate hub
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No