NSN 3020-00-722-4120

Spur Gear - Page 1 of 2

0.880 inches first end



View Online at https://aerobasegroup.com/nsn/3020-00-722-4120

Dade Otale		
Body Style:		
Plain, solid		
Attachment Method:		
Mounting hole		
Pitch Diameter:		
2.0000 inches		
Teeth Quantity:		
128		
Bore Style:		
Plain both ends		
Mounting Hole Thread Series Designator:		
Unc axially through body, first end		
Mounting Hole Thready Qty Per Inch (tpi):		
40 axially through body, first end		
Mounting Hole Thread Size:		
0.112 inches axially through body, first end		
Mounting Hole Type And Quantity:		
1 plain axially through body, first end and 1 threaded axially through body, first end		
Outside Diameter:		
2.063 inches		
Nominallength:		
0.375 inches		
Tooth Form:		
Standard		
Pressure Angle:		
20.0000 degrees		
Distance Between Body Face And Protruding Hub End:		
0.250 inches first end		
Face Width:		
0.125 inches		
Bore Diameter:		
0.188 inches both ends		
Hub Style Designator:		
1 step first end		
End Length:		
0.188 inches first end		
End Diameter:		
0.500 inches first end		
First Step Length:		
0.063 inches first end		
First Step Diameter:		

NSN 3020-00-722-4120

Spur Gear - Page 2 of 2



Mounting	Hole	Diameter:
----------	------	-----------

0.051 inches transversely through hub, first end

Material:

Steel comp 303 hub

Material Specification:

Qq-s-763, class 303, cond a federal specification single material response hub

Surface Treatment:

Passivate hub

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300