NSN 3020-00-723-4015

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-723-4015

Body Style:
Webbed, offset, with lightening holes
Attachment Method:
Mounting hole
Pitch Diameter:
3.1875 inches
Teeth Quantity:
102
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Mounting Hole Type And Quantity:
6 plain axially through body, first end
Outside Diameter:
3.250 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.375 inches second end
Distance Between Body Face And Recessed Hub End:
0.0630 inches second end
Face Width:
0.125 inches
Bore Diameter:
0.240 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
0.5000 inches first end
Precision Classification:
Quality number 13
Mounting Hole Diameter:
0.125 inches axially through body, first end
Bolt Hole Circle Diameter:
4.312 inches axially through body, first end
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-225/8, t6 federal specification single material response

NSN 3020-00-723-4015 Spur Gear - Page 2 of 2

A27300



Surface Treatment:
Anodize
Style Designator:
Cone shape body, protruding hub, recessed hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: