NSN 3020-00-723-4743

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-723-4743

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 2.9995 inches and 3.0000 inches
Teeth Quantity:
144
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc axially through body, first end
Mounting Hole Thread Size:
0.1120 inches axially through body, first end
Mounting Hole Type And Quantity:
3 threaded axially through body, first end
Outside Diameter:
3.0411 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.2500 inches first end
Face Width:
0.115 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
0.8745 inches second end
Bolt Hole Circle Diameter:
1.500 inches axially through body, first end
Special Features:
Mtg holes 120 degrees apart
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:
Anodize

NSN 3020-00-723-4743

Spur Gear - Page 2 of 2



Surface Treatment Speci

Mil-a-8625, type 2, class 1 military specification single treatment response

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.