NSN 3020-00-724-4860

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-724-4860

| Body Style: |
|--|
| Plain, solid |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| 1.2269 inches |
| Teeth Quantity: |
| 17 |
| Bore Style: |
| W/ keyway both ends |
| Hardness Rating: |
| 34.0 rockwell c teeth and 38.0 rockwell c teeth |
| Mounting Hole Type And Quantity: |
| 1 plain transversely through hub, first end |
| Outside Diameter: |
| 1.3636 inches |
| Teeth Type: |
| Single helix |
| Tooth Form: |
| Standard |
| Tooth Direction: |
| Left |
| Pressure Angle: |
| 20.0000 degrees |
| Helix Angle: |
| 30.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.312 inches first end |
| Face Width: |
| 0.500 inches |
| Bore Diameter: |
| 0.750 inches both ends |
| Keyway Width: |
| 0.190 inches both ends |
| Distance From Bore Center To Keyway Bottom: |
| 0.458 inches both ends |
| Hub Style Designator: |
| Plain first end |
| Hub Diameter: |
| 1.062 inches first end |
| Mounting Hole Diameter: |

0.109 inches transversely through hub, first end

NSN 3020-00-724-4860 Helical Gear - Page 2 of 2

A27300



| Material: |
|---|
| Steel comp e9310 |
| Material Specification: |
| 66 federal standard single material response and ams6260 assn standard single material response |
| Style Designator: |
| Protruding hub |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Filg: |