NSN 3020-00-725-8094

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-725-8094

Body Style:					
Plain, solid					
Pitch Diameter:					
1.2500 inches					
Teeth Quantity:					
60					
Bore Style:					
Plain both ends					
Backlash Designation:					
Grade c					
Outside Diameter:					
1.2909 inches					
Tooth Form:					
Standard					
Pressure Angle:					
14.5000 degrees					
Distance Between Body Face And Protruding Hub End:					
0.260 inches first end					
Face Width:					
0.115 inches					
Bore Diameter:					
0.250 inches both ends					
Hub Style Designator:					
Plain first end					
Hub Diameter:					
0.438 inches first end					
Precision Classification:					
Quality number 12					
Special Features:					
1 0.138 in. Diameter threaded hole on hub for positioning					
Material:					
Aluminum alloy 2024					
Material Specification:					
Qq-a-225/6, t4 federal specification single material response					
Surface Treatment:					
Anodize					
Surface Treatment Specification:					
Mil-a-8625, type 2 military specification single treatment response					
Style Designator:					
Protruding hub					
Shelf Life:					
N/a					

NSN 3020-00-725-8094

Spur Gear - Page 2 of 2



	ι	Jn	it	Of	Measure:
--	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.