NSN 3020-00-732-4902

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-732-4902

Dody Style
Body Style: Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.2777 inches
, <u> </u>
Teeth Quantity: 92
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 transversely through hub, first end
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
1.305 inches
Nominallength:
0.406 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.219 inches first end
Face Width:
0.187 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.375 inches first end
Precision Classification:
Quality number 10 or quality number 11
Material:

Steel comp 303

NSN 3020-00-732-4902

Spur Gear - Page 2 of 2



Material Specification:
Qq-s-764, type 303, cond a federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a

Demilitarization:

Unit Of Measure:

No

Fiig:

A27300