NSN 3020-00-732-9677



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-732-9677 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.3125 inches **Teeth Quantity:** 42 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Hardness Rating:** 30.0 rockwell c and 35.0 rockwell c **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end and 1 threaded transversely through hub, first end **Outside Diameter:** 1.374 inches Nominallength: 0.625 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end **Face Width:** 0.250 inches **Bore Diameter:** 0.312 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.750 inches first end

Precision Classification:

Quality number 10 or quality number 11

Mounting Hole Diameter:

0.094 inches transversely through hub, first end

NSN 3020-00-732-9677

Spur Gear - Page 2 of 2



RЛ	ate	ria	ı.
IVI	ale	па	I -

Steel

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300